

Journal Publications, 2004-2015
Marine Turtle Biology and Assessment Program / Protected Species Division
NOAA Pacific Islands Fisheries Science Center

Trends, Status, and Assessment

- Seminoff, J.A., C.D. Allen, G.H. Balazs, P.H. Dutton, T. Eguchi, H.L. Hass, S.A. Hargrove, M. Jensen, D.L. Klemm, A.M. Lauritsen, S.L. MacPherson, P. Opay, E.E. Possardt, S. Pultz, E. Seney, K.S. Van Houtan, and R.S. Waples. 2015. Status review of the green turtle (*Chelonia mydas*) under the Endangered Species Act. U.S. Dept. Commer. NOAA Technical Memorandum NOAA-TM-NMFS-SWFSC-539. 599p.
- Dutton P.H., M.P. Jensen, A. Frey, E. LaCasella, G.H. Balazs, P. Zárate, O. Chassen-Noria, A.L. Sarti-Martinez, and E. Velez. 2014. Population structure and phylogeography reveal pathways of colonization by a migratory marine reptile (*Chelonia mydas*) in the central and eastern Pacific. *Ecology and Evolution* 15p, DOI:0.1002/ece3.1269
- Dutton P.H., M.P. Jensen, K. Frutchey, A. Frey, E. LaCasella, G.H. Balazs, J. Cruce, A. Tagarino, R. Farman, and M. Tatarata. 2014. Genetic stock structure of green turtle (*Chelonia mydas*) nesting populations across the Pacific Islands. *Pacific Science* 68(4): 451-464. DOI: 10.2984/68.4.1.
- Nurzia Humburg I., and Balazs G.H. 2014. Forty years of research: recovery records of green turtles observed or originally tagged at French Frigate Shoals in the Northwestern Hawaiian Islands, 1973-2013. U.S. Dept. of Commerce, NOAA Technical Memorandum NOAA-TM-NMFS-PIFSC-40, 14 p. DOI: 10.7289/V5DV1GTC.
- Van Houtan K.S., Hargrove S.K., and Balazs G.H. 2014. Modeling sea turtle maturity age from partial life history records. *Pacific Science* 68(4): 465-477. DOI: 10.2984/68.4.2.
- Kittinger J.N., Van Houtan K.S., McClenachan L.E., and Lawrence A.L. 2013. Using historical data to assess the biogeography of population recovery. *Ecography* 36: 001-005. DOI: 10.1111/j.1600-0587.2013.00245.x.
- Roden, S.E., P.A. Morin, A. Frey, G.H. Balazs, P. Zárate, I.J. Cheng, and P.H. Dutton. 2013. Green turtle population structure in the Pacific: new insights from single nucleotide polymorphisms and microsatellites. *Endang. Species Res.* 20:227-234.
- Van Houtan K.S., McClenachan L.,and Kittinger J.N. 2013. Seafood menus reflect long-term ocean changes. *Frontiers in Ecology and the Environment* 11(6): 289-290. DOI: 10.1890/13.WB.015.
- Van Houtan K.S, Kittinger J.N., Lawrence A.L., Yoshinaga C., Born V.R., Fox A. 2012. Hawksbill sea turtles in the Northwestern Hawaiian Islands. *Chelonian Conservation and Biology* 11(1): 117-121. DOI: 10.2744/CCB-0984.1.
- Tiwari, M., G.H. Balazs, and S. Hargrove. 2010. Estimating carrying capacity at the green turtle nesting beach of East Island, French Frigate Shoals. *Mar. Ecol. Prog. Ser.* 419:289-294.
- Wabnitz C., G. Balazs, S. Beavers, K.A. Bjorndal, A.B. Bolten, V. Christensen, S. Hargrove, and D. Pauly. 2010. Ecosystem structure and processes at Kaloko Honokōhau, focusing on the role of herbivores, including the green sea turtle *Chelonia mydas*, in reef resilience. *Mar. Ecol. Prog. Ser.* 420:27-44.
- Snover, M. L., and S. S. Heppell. 2009. Application of diffusion approximation for risk assessments of sea turtle populations. *Ecological Applications*, 19(3), 774-785. [DOI: 10.1890/07-1111.1](https://doi.org/10.1890/07-1111.1)
- Chaloupka, M., G.H. Balazs, and T.M. Work. 2009. Rise and fall over 26 years of a marine epizootic in

- Hawaiian green sea turtles. J. Wildl. Dis. 45(4):1138-1142.
- Chaloupka, M., T.M. Work, G.H. Balazs, S.K.K. Murakawa, and R. Morris. 2008. Cause-specific temporal and spatial trends in green sea turtle strandings in the Hawaiian Archipelago (1982-2003). Mar. Biol. 154(5):887-898.
- Chaloupka, M., K.A. Bjorndal, G.H. Balazs, A.B. Bolten, L.M. Ehrhart, C.J. Limpus, H. Suganuma, S. Troëng, and M. Yamaguchi. 2008. Encouraging outlook for recovery of a once severely exploited marine megaherbivore. Global Ecol. Biogeogr. 17(2):297-304.
- Dutton, P.H., G.H. Balazs, R.A. LeRoux, S.K.K. Murakawa, P. Zarate, and L.S. Martínez. 2008. Composition of Hawaiian green turtle foraging aggregations: mtDNA evidence for a distinct regional population. Endang. Species Res. 5:37-44.
- Chaloupka, M. and G. Balazs. 2007. Using Bayesian state-space modeling to assess the recovery and harvest potential of the Hawaiian green sea turtle stock. Ecol. Modell. 205:93-109.
- Balazs, G.H. and M. Chaloupka. 2006. Recovery trend over 32 years at the Hawaiian green turtle rookery of French Frigate Shoals. Atoll Research Bulletin 543:147-158.
- Zug, G.R., M. Chaloupka, and G.H. Balazs. 2006. Age and growth in olive ridley sea turtles (*Lepidochelys olivacea*) from the north-central Pacific: A skeletochronological analysis. Mar. Ecol. 27(3):263-270.
- Chaloupka, M. and G. Balazs. 2005. Modelling the effect of fibropapilloma disease on the somatic growth dynamics of Hawaiian green sea turtles. Mar. Biol. 147(5):1251-1260.
- Balazs, G.H. and M. Chaloupka. 2004. Thirty-year recovery trend in the once depleted Hawaiian green sea turtle stock. Biological Conservation 117(2004):491-498.
- Balazs, G.H. and M. Chaloupka. 2004. Spatial and temporal variability in somatic growth of green sea turtles (*Chelonia mydas*) resident in the Hawaiian Archipelago. Mar. Biol. 145:1043-1059.

Life History and Ecology

- Saito, M., M. Kurita, H. Okamoto, I. Uchida, D. Parker, and G. Balazs. 2015. Tracking male loggerhead turtle migrations around southwestern Japan using satellite telemetry. Chelonian Conservation and Biology 14(1): 82–87. DOI:10.2744/ccab-14-01-82-87.1.
- Balazs G., D. Parker, J. Gorman, J. Luecke, and J. Pawloski. 2015. Settling down in Hawaii: adaptation of captive-bred green turtles (*Chelonia mydas*) released from the Maui Ocean Center. MTN 145:22-26.
- Kolinski S.P., Cruce J., Parker D.M., Balazs G.H., and Clarke R. 2015. Migrations and conservation implications of post-nesting green turtles from Gielop Island, Ulithi Atoll, Federated States of Micronesia. Micronesica 2014-04: 1-9
- McDermid K.J., Lefebvre J.A., and Balazs G.H. 2015. Nonnative seashore paspalum, *Paspalum vaginatum* (Poaceae), consumed by Hawaiian green sea turtles (*Chelonia mydas*): Evidence for nutritional benefits. Pacific Science 69(1): 48-57. DOI: 10.2984/69.1.3
- Hart, C.E., G.S. Blanco, M.S. Coyne, C. Delgado-Rejo, B.J. Godley, T.T. Jones, A. Resendiz, J.A. Seminoff, M. J. Witt, W.J. Nichols. 2015. Multinational tagging efforts illustrate regional scale of movements for East Pacific green turtles (*Chelonia mydas*). PLoS ONE 10(2): e0116225
- Van Houtan K.S., Halley J.M., Marks W. 2015. Terrestrial basking sea turtles are responding to spatio-

temporal sea surface temperature patterns. *Biology Letters* 11: 20140744. DOI:10.1098/rsbl.2014.0744.

Dudley, P. N., R. Bonazza, T. T. Jones, W. P. Porter. 2014. Leatherbacks swimming in silico: Modeling and verifying their momentum and heat balance using computational fluid dynamics. *PLoS One* 9(10), e110701

Davenport, J., T.T. Jones, T.M. Work, and G.H. Balazs. 2014. Pink spot, white spot: The pineal skylight of the leatherback turtle (*Dermochelys coriacea* Vandelli 1761) skull and its possible role in the phenology of feeding migrations. *Journal of Experimental Marine Biology and Ecology* 46:1–6. DOI:10.1016/j.jembe.2014.07.008

Dutton, P.H., G.H. Balazs, and A. Frey. 2014. Hawaiian nesting range shift offers rare learning opportunity. SWOT. 9:22-23. Online at <http://www.seaturtlestatus.org/sites/swot/files/report/SWOT-Report-Vol-9.pdf>.

Pfaller J.B., Alfaro-Shigueto J., Balazs G.H., Ishihara T., Kopitsky K., Mangel J.C., Peckham S.H., Bolten A.B., Bjorndal K.A. 2014. Hitchhikers reveal cryptic host behavior: new insights from the association between *Planes major* and sea turtles in the Pacific Ocean. *Marine Biology* 161: 2167-2178. DOI: 10.1007/s00227-014-2498-3.

Parker D.M., C. King, M. Rice and G. Balazs. 2014. First use of a GPS satellite tag to track a post-nesting hawksbill (*Eretmochelys imbricata*) in the Hawaiian islands with an indication of possible mortality. MTN 42:10-13.

Ng K-Y., T-H. Chen, and G.H. Balazs. 2014. Flying fish egg harvest off Keelung, Taiwan uncovers occurrence of pelagic-phase green turtles. MTN 143:14-15.

Yeh F.C., G.H. Balazs, D.M. Parker, C.K. Ng, and H. Shi. 2014. Novel use of satellite tracking as a forensic tool to determine foraging ground of a rescued green turtle (*Chelonia mydas*). MTN 142:1-3.

Abecassis M., Senina I., Lehodey P., Gaspar P., Parker D., Balazs G., and Polovina J. 2013. A model of loggerhead sea turtle (*Caretta caretta*) habitat and movement in the oceanic North Pacific. *PLoS ONE* 8(9): e73274. DOI: 10.1371/journal.pone.0073274.

Francke D.L., Hargrove S.A., Vetter E.W., Winn C.D., Balazs G.H., and Hyrenbach K.D. 2013. Behavior of juvenile green turtles in a coastal neritic habitat: validating time-depth-temperature records using visual observations. *Journal of Experimental Marine Biology and Ecology* 444:55-65. DOI: 10.1016/j.jembe.2013.03.011.

Frey A., Dutton P.H., and Balazs G.H. 2013. Insights on the demography of cryptic nesting by green turtles (*Chelonia mydas*) in the main Hawaiian Islands from genetic relatedness analysis. *Journal of Experimental Marine Biology and Ecology* 442: 80-87. DOI:10.1016/j.jembe.2013.01.030

Jones T.T., and Seminoff J.A. 2013. Feeding biology: Advances from field-based observations, physiological studies, and molecular techniques. In: Wyneken J, Musick J, Lohmann K (eds.). *The Biology of Sea Turtles*, Vol. III, p. 211-248. Boca Raton: CRC Press, 475 p.

Jones T.T., Van Houtan K.S., Bostrom B.L., Ostafichuk P., Mikkelsen J., Tezcan E., Carey M., Imlach B., and Seminoff J.A. 2013. Calculating the ecological impacts of animal-borne instruments on aquatic organisms. *Methods in Ecology and Evolution* 4(12): 1178-1186. DOI: 10.1111/2041-210X.12109.

Price E.R., Jones T.T., Wallace B.P., and Guglielmo C.G. 2013. Serum triglycerides and B-hydroxybutyrate predict feeding status in green turtles (*Chelonia mydas*): Evaluating a single blood sample method for assessing feeding/fasting in reptiles. *Journal of Experimental Marine Biology and Ecology* 439: 176-180. DOI: 10.1016/j.jembe.2012.11.005.

- Jones T.T., Bostrom BL, Hastings MD, Van Houtan KS, Pauly D, and Jones DR. 2012. Resource requirements of the Pacific leatherback turtle population. *PLoS ONE* 7(10): e45447. DOI: 10.1371/journal.pone.0045447.
- Snover, M.L., G.H. Balazs, S.K.K. Murakawa, S.K. Hargrove, M.R. Rice, and W.A. Seitz. 2012. Age and growth rates of Hawaiian hawksbill turtles (*Eretmochelys imbricata*) using skeletochronology. *Mar. Biol.* 160:37-46. DOI:10.1007/s00227-012-2058-7.
- Halsey, L., T.T. Jones, D. R. Jones, N. Liebsch, and D. Booth. 2011. Measuring energy expenditure in sub-adult and hatchling sea turtles via accelerometry. *PLoS ONE* 6(8):e22311
Doi:10.1371/journal.pone.0022311.
- Jones, T. T., M. Hastings, B. Bostrom, D. Pauly and D. R. Jones. 2011. Growth of captive leatherback turtles *Dermochelys coriacea* with inferences on growth in the wild: implication for population decline and recovery. *Journal of Experimental Marine Biology and Ecology*. 399:84-92.
- Russell, D.F., S. Hargrove, and G.H. Balazs. 2011. Marine sponges, other animal food, and non-food items found in the digestive tracts of the herbivorous marine turtle *Chelonia mydas* in Hawai'i. *Pac. Sci.*
- Parker, D.M., G.H. Balazs, C.S. King, L. Katahira, and W. Gilmartin. 2009. Short-range movements of hawksbill turtles (*Eretmochelys imbricata*) from nesting to foraging areas within the Hawaiian Islands. *Pac. Sci.* 63(3):371-382.
- Russell, D.F. and G.H. Balazs. 2009. Dietary shifts by green turtles (*Chelonia mydas*) in the Kane'ohe Bay region of the Hawaiian Islands: A 28-year study. *Pac. Sci.* 63(2):181-192.
- Arthur, K. and G.H. Balazs. 2008. A comparison of immature green turtles (*Chelonia mydas*) diets among seven sites in the main Hawaiian islands. *Pac. Sci.* 62(2):205-217.
- Van Dam, R.P., C.E. Diez, G.H. Balazs, L.A.C. Colón, W.O. McMillan, and B. Schroeder. 2008. Sex-specific migration patterns of hawksbill turtles breeding at Mona Island, Puerto Rico. *Endang. Species Res.* 4(1-2):85-94.
- McDermid, K.J., B. Stuercke, and G.H. Balazs. 2007. Nutritional composition of marine plants in the diet of the green sea turtle (*Chelonia mydas*) in the Hawaiian Islands. *Bull. Mar. Sci.* 81(1):55-71.
- Zardus, J.D. and G.H. Balazs. 2007. Two previously unreported barnacles commensal with the green sea turtle, *Chelonia mydas* (Linnaeus, 1958), in Hawaii and a comparison of their attachment modes. *Crustaceana* 80(11):1303-1315.
- Seaborn, G.T., M K. Moore, and G H. Balazs. 2005. Depot fatty acid composition in immature green turtles (*Chelonia mydas*) residing at two near-shore foraging areas in the Hawaiian Islands. *Comp. Biochem. Physiol. Part B*(140):183-195.
- Craig, P., D. Parker, R. Brainard, M. Rice, and G. Balazs. 2004. Migrations of green turtles in the central South Pacific. *Biological Conservation* 116(2004):433-438.

Health and Disease

- Keller J.M, G.H. Balazs, F. Nilsen, M. Rice, T.M. Work and B.A. Jensen. 2014. Investigating the potential role of persistent organic pollutants in Hawaiian green sea turtle fibropapillomatosis. *Environ. Sci. Technol* 48(14): 7807-7816. DOI:10.1021/es5014054.

- Van Houtan K.S., C.M. Smith, M.L. Dailer, and M. Kawachi. 2014. Eutrophication and the promotion of dietary tumors. PeerJ2:e602. DOI:10.7717/peerj.602
- Work T.M., Dagenais J., Balazs G.H., Schettle N., and Ackermann M. 2014. Dynamics of virus shedding and in situ confirmation of chelonid herpesviruses 5 in Hawaiian green turtles with fibropapillomatosis. Veterinary Pathology. DOI:10.1177/0300985814560236.
- Davenport J., T.T. Jones, T.M. Work and G.H. Balazs. 2013. Unique characteristics of the trachea of the juvenile leatherback turtle facilitate feeding, diving and endothermy. Journal of Experimental Marine Biology and Ecology 450(2014):40–46. DOI:10.1016/j.jembe.2013.10.013.
- Schock, T.B., J. Keller, M. Rice, G.H. Balazs, and D.W. Bearden. 2013. Metabotyping of a protected non-model organism, green sea turtle (*Chelonia mydas*), using 1H NMR spectroscopy and optimized plasma methods for metabolomics. Current Metabolomics, 1(4):279-290.
- Work T.M., and G.H. Balazs. 2013. Tumors in sea turtles: the insidious menace of fibropapillomatosis. The Wildlife Professional, Fall 2013: 44-47.
- Ackermann, M., M. Koriabine, F. Hartmann-Fritsch, P.J. de Jong, T.D. Lewis, N. Schetle, T.M. Work, J. Dagenais, G.H. Balazs, and J.C. Leong. 2012. The genome of chelonid herpesvirus 5 harbors atypical genes. PLoS ONE 7(10):e46623, 15p.
- Lavretsky P, Truong T.M., McGowin A.E., Balazs G.H., and Peters J.L. 2012. New primers reveal the presence of a duplicate histone H3 in the marine turtle leech *Ozobranchus branchiatus*. Conservation Genetics Resources 4(2): 487-490. DOI:10.1007/s12686-011-9581-6.
- Santos, R.G., A.S. Martins, J.D. Farias, P.A. Horta, H.T. Pinheiro, E. Torezani, C. Baptisotte, J.A. Seminoff, G.H. Balazs, and T.M. Work. 2011. Coastal habitat degradation and green sea turtle diets in Southeastern Brazil. Mar. Pollut. Bull. 62(6):1297-1302.
- Santos, R.G., A.S. Martins, E. Torezani, C. Baptisotte, J. D.N. Farias, P.A. Horta, T.M. Work, and G.H. Balazs. 2010. Relationship between fibropapillomatosis and environmental quality: a case study with *Chelonia mydas* off Brazil. Dis. Aquat. Org. 89:87-95.
- Van Houtan, K.S., S.K. Hargrove, and G.H. Balazs. 2010. Land use, macroalgae, and a tumor-forming disease in marine turtles. PLoS ONE 5(9):e12900, 9p.
- Work, T.M., J. Dagenais, G.H. Balazs, J. Schumacher, T.D. Lewis, J-A.C. Leong, R.N. Casey, and J.W. Casey. 2009. In vitro biology of fibropapilloma-associated turtle herpesvirus and host cells in Hawaiian green turtles (*Chelonia mydas*). J. Gen. Virol. 90(8):1943-1950.
- Arthur, K., C. Limpus, G. Balazs, A. Capper, J. Udy, G. Shaw, U. Keuper-Bennett, and P. Bennett. 2008. The exposure of green turtles (*Chelonia mydas*) to tumour promoting compounds produced by the cyanobacterium *Lyngbya majuscula* and their potential role in the aetiology of fibropapillomatosis. Harmful Algae 7(1):114-125.
- Greenblatt, R.J., S.L. Quackenbush, R.N. Casey, J. Rovnak, G.H. Balazs, T.M. Work, J.W. Casey, and C.A. Sutton. 2005. Genomic variation of fibropapilloma-associated marine turtle herpesvirus across seven geographic areas and three host species. J. Virol. 79(2):1125-1132.
- Greenblatt, R.J., T.M. work, P. Dutton, C.A. Sutton, T.R. Spraker, R.N. Casey, C.E. Diez, D. Parker, J. St. Leger, G.H. Balazs, and J.W. Casey. 2005. Geographic variation in marine turtle fibropapillomatosis. J. Zoo Wildl. Med. 36(3):527-530.
- Work, T.M., G.H. Balazs, J.L. Schumacher, and A. Marie. 2005. Epizootiology of spirorchiid infection in green turtles (*Chelonia mydas*) in Hawaii. J. Parasitol. 91(4):871-876.

- Greenblatt, R. J., T.M. Work, G.H. Balazs, C.A. Sutton, R.N. Casey, and J.W. Casey. 2004. The *Ozobranchus* leech is a candidate mechanical vector for the fibropapilloma- associated turtle herpesvirus found latently infecting skin tumors on Hawaiian green turtles (*Chelonia mydas*). *Virology* 321(2004):101-110.
- Work, T.M., G.H. Balazs, R.A. Rameyer, and R.A. Morris. 2004. Retrospective pathology survey of green turtles *Chelonia mydas* with Fibropapillomatosis in the Hawaiian Islands, 1993-2003. *Dis. Aquat. Org.* 62:163-176.

Pelagic Ecology

- Kobayashi D.R., Farman R., Polovina J.J., Parker D.M., Rice M.H., and Balazs G. 2014. "Going with the flow" or not: evidence of positive rheotaxis in oceanic juvenile loggerhead turtles (*Caretta caretta*) in the South Pacific Ocean using satellite tags and ocean circulation data. *PLoS ONE* 9(8): e103701. DOI: 10.1371/journal.pone.0103701.
- Kobayashi, D.R., I.-J. Cheng, D.M. Parker, J.J. Polovina, N. Kamezaki, and G.H. Balazs. 2011. Loggerhead turtle (*Caretta caretta*) movement off the coast of Taiwan: characterization of a hotspot in the East China Sea and investigation of mesoscale eddies. *ICES J. Mar. Sci.* doi:10.1093/icesjms/fsq185, 12p.
- Parker, D.M., P.H. Dutton, and G.H. Balazs. 2011. Oceanic diet and distribution of genotypes for the green turtle, *Chelonia mydas*, in the central North Pacific. *Pac. Sci.* 65(4): 419-431.
- Peckham, S.H., D. Maldonaldo-Diaz, Y. Tremblay, R. Ochoa, J. Polovina, G. Balazs, P.H. Dutton, and W.J. Nichols. 2011. Demographic implications of alternative foraging strategies in juvenile loggerhead turtles *Caretta caretta* of the North Pacific Ocean. *Mar. Ecol. Prog. Ser.* 425:269-280.
- Howell, E.A., P.H. Dutton, J.J. Polovina, H. Bailey, D.M. Parker, and G.H. Balazs. 2010. Oceanographic influences on the dive behavior of juvenile loggerhead turtles (*Caretta caretta*) in the North Pacific Ocean. *Mar. Biol.* 157:1011-1026.
- Work, T.M. and G.H. Balazs. 2010. Pathology and distribution of sea turtles landed as bycatch in the Hawaii-based North Pacific pelagic longline fishery. *J. Wildl. Dis.* 46(2):422-432.
- Howell, E.A., D.R. Koyabashi, D.M. Parker, G.H. Balazs, and J. J. Polovina. 2008. TurtleWatch: A tool to aid in the bycatch reduction of loggerhead turtles *Caretta caretta* in the Hawaii-based pelagic longline fishery. *Endang. Species Res.* 5:267-278.
- Kobayashi, D.R., J.J. Polovina, D.M. Parker, N. Kamezaki, I.-J. Cheng, I. Uchida, P.H. Dutton, and G.H. Balazs. 2008. Pelagic habitat characterization of loggerhead sea turtles, *Caretta caretta*, in the North Pacific Ocean (1997-2006): Insights from satellite tag tracking and remotely sensed data. *J. Exp. Mar. Biol.* 356:96-114.
- Rice, M.R. and G.H. Balazs. 2008. Diving behavior of the Hawaiian green turtle (*Chelonia mydas*) during oceanic migrations. *J. Exp. Mar. Biol. Ecol.* 356(1-2):121-127.
- Polovina, J., I. Uchida, G. Balazs, E.A. Howell, D. Parker, and P. Dutton. 2006. The Kuroshio Extension bifurcation region: A pelagic hotspot for juvenile loggerhead sea turtles. *Deep Sea Research Pt II: Top. Studies Oceanography* 53(3-4):326-339.
- Parker, D.M., W.J. Cooke, and G.H. Balazs. 2005. Diet of oceanic loggerhead sea turtles (*Caretta caretta*) in the central North Pacific. *Fish. Bull.* 103:142-152.

Chaloupka, M., D. Parker, and G. Balazs. 2004. Modelling post-release mortality of loggerhead sea turtles exposed to the Hawaii-based pelagic longline fishery. Mar. Ecol. Prog. Ser. 280:285-293.

Polovina, J.J., G.H. Balazs, E.A. Howell, D.M. Parker, M.P. Seki, and P.H. Dutton. 2004. Forage and migration habitat of loggerhead (*Caretta caretta*) and olive ridley (*Lepidochelys olivacea*) sea turtles in the central North Pacific Ocean. Fish. Oceanogr. 13:1, 36-51.

Research Techniques

Balazs G.H. and T.M. Work. 2015. Pathways for Marine Turtle Conservation Research. MTN 144:1-2.

Parker D.M., Balazs G.H., Rice M.R., Tomkeiwicz S.M. 2014. Variability in reception duration of dual satellite tags on sea turtles tracked in the Pacific Ocean. Micronesica 2014-03: 1-8.

Work T.M., Balazs G.H. 2013. A simple humane method to euthanize a sea turtle. Marine Turtle Newsletter 136: 5-6.

Jones, T. T., B. Bostrom, M. Carey, B. Imlach, J. Mikkelsen, S. Eckert, P. Opay, Y. Swimmer, J. Seminoff and D. R. Jones. 2011. Determining transmitter drag and best-practice attachment procedures for sea turtle biotelemetry studies. NOAA Technical Memorandum NMFS-SWFSC-480.

Snover, M.L., A.A. Hohn, L.R. Goshe, and G.H. Balazs. 2011. Validation of annular skeletal marks in green sea turtles *Chelonia mydas* using tetracycline labeling. Aquat. Biol. 12:197-204.